



**ENGINE  
LUBRICANTS**





## GASOLINE ENGINE OIL



### WELL LUBE TITANIUM CLASS

- ▶ Advanced Performance Fully Synthetic Engine Oil
- ▶ High temperature stability and oxidation resistant
- ▶ Suitable for high performance multi-valved, turbo charged and supercharged engines
- ▶ Exceeds the performance levels of API SN/CF, ACEA A3/B4 and C3

Available Viscosity Grades: 0W40, 5W30 & 5W40



### WELL LUBE PLATINUM CLASS

- ▶ High Performance Fully Synthetic Engine Oil
- ▶ Excellent performance at all temperatures
- ▶ Suitable for high performance fuel injected engines in passenger cars, light vans and trucks
- ▶ Exceeds the performance levels of API SM/CF, ACEA A3/B3 and C3

Available Viscosity Grades: 5W30, 5W40 & 10W30



### WELL LUBE EON CLASS

- ▶ Enhanced Premium Quality Semi-Synthetic Engine Oil
- ▶ Extends engine life and maximizes engine oil service life
- ▶ Suitable for all high-performance fuel injected engines in passenger cars, light vans and trucks
- ▶ Exceeds the performance levels of API SM/CF, ACEA A3/B3 and C3

Available Viscosity Grades: 5W40, 10W30 & 15W40



### WELL LUBE SUPERIOR CLASS

- ▶ Quality base oil blended with advanced formula additives
- ▶ Exceptional thermal stability and prolongs engine life
- ▶ Suitable for matured models of gasoline passenger vehicles and light trucks
- ▶ Exceeds the performance levels of API SL/CF, ACEA A2

Available Viscosity Grades: 10W30, 15W40, 20W50

## DIESEL ENGINE OIL



### WELL LUBE ULTIMATE PERFORMANCE

- ▶ Enhanced Premium Quality Semi-Synthetic Engine Oil
- ▶ Provides long drain capability for modern diesel engines operating in severe applications
- ▶ Suitable for use in super high performance diesel applications, including low emission engines
- ▶ Exceeds the performance levels of API CJ-4/SL, ACEA E7, E9

Available Viscosity Grades: 5W40, 10W30 & 15W40



### WELL LUBE HIGH PERFORMANCE

- ▶ Quality base oil blended with advanced formula additives
- ▶ Formulated to meet requirements for later models of diesel engines and mixed fleets
- ▶ Suitable for long distance diesel trucking, agricultural tractors, industrial generator sets, etc
- ▶ Exceeds the performance levels of API CH-4/SJ, ACEA A3, B3, E2

Available Viscosity Grades: 15W40, 20W50



### WELL LUBE GOLD PERFORMANCE

- ▶ Quality base oil blended with advanced formula additives
- ▶ Low temperature fluidity; high temperature viscosity retention
- ▶ Suitable for use in naturally aspirated or turbo-charged high speed four-stroke diesel engines
- ▶ Exceeds the performance levels of API CI-4/SJ, ACEA E7

Available Viscosity Grades: 15W40, 20W50



### WELL LUBE DYNAMIC PERFORMANCE

- ▶ Formulated with premium mineral base oils and advanced additive package
- ▶ Multipurpose heavy duty lubricant
- ▶ Suitable for old diesel engines, off-highway vehicles and construction equipment, stationary engines and light marine engines
- ▶ Exceeds the performance levels of API CD/SF

Available Viscosity SAE30, SAE 40 and SAE50



## MOTORCYCLE LUBRICANTS



### WELL LUBE POWER 2T

- ▶ Premium motorcycle oil for oil injection and pre-mix systems
- ▶ Reduces smoke
- ▶ Suitable for use in two-stroke motorcycles, ATVs and engines requiring injection or pre-mixing lubricants
- ▶ Exceeds the performance levels of API TC, TB and TA



### WELL LUBE CHAMPION 4T

- ▶ Mineral based heavy duty engine oil
  - ▶ Protects against wear and oxidation
  - ▶ Excellent fuel economic
  - ▶ Suitable for use in four-stroke engines
  - ▶ Exceeds the performance levels of API SH
- Available Viscosity Grades: SAE 40, 20W50

## MARINE LUBRICANTS

### WELL MARINE CL 40

- ▶ Cylinder lubricant formulated with quality mineral based oil and advanced additives
- ▶ Superior alkalinity retention (TBN: 40)
- ▶ Protects engine against wear and corrosion
- ▶ Suitable for crosshead diesel engines burning fuels with sulphur content below 2%

Available Viscosity Grades: SAE 30 CF, SAE 40 CF

### WELL MARINE F 12

- ▶ Heavy Duty lubricant formulated for Small Marine Diesel Engine in fishing boats and other marine activities
- ▶ Superior Alkalinity retention (TBN: 12)
- ▶ Outstanding thermal steadiness and oxidation resistance

Available Viscosity Grades: SAE 30 CF, SAE 40 CF

### WELL MARINE CL 70

- ▶ Cylinder lubricant formulated with quality mineral based oil and advanced additives
- ▶ Superior Alkalinity retention (TBN: 70)
- ▶ Protects engine against wear and corrosion
- ▶ Suitable for crosshead diesel engines burning heavy residual fuels with sulphur content up to 4%

Available Viscosity Grades: SAE 50 CF



### WELL MARINE TP 30

- ▶ Trunk piston heavy duty lubricant formulated with premium base oils and additives
- ▶ Superior alkalinity retention (TBN: 30)
- ▶ Excellent detergency and dispersancy properties
- ▶ Suitable for medium-speed, four-stroke, trunk piston engines burning fuels with sulphur content less than 3%

Available Viscosity Grades: SAE 30 CF, SAE 40 CF

### WELL MARINE ST 08

- ▶ System lubricant formulated with quality mineral oils and advanced additives
- ▶ Good detergency to keep crankcases clean and optimize efficiency
- ▶ Protects engine against wear and corrosion
- ▶ Suitable for crankcase and piston cooling systems of low speed marine diesel engine and marine equipment requiring an SAE 30 oil

Available Viscosity Grades: SAE 30

### WELL MARINE TP 40

- ▶ Trunk piston heavy duty lubricant formulated with premium base oils and selected additives
- ▶ Superior alkalinity retention (TBN: 40)
- ▶ Excellent detergency and dispersancy properties
- ▶ Suitable for medium-speed, four-stroke, trunk piston engines burning fuels with sulphur content of more than 3%

Available Viscosity Grades: SAE 40 CF



# INDUSTRIAL LUBRICANTS

## HYDRAULIC OIL

### WELL HYDRO AW

- ▶ High quality anti-wear
- ▶ Good demulsibility, thermal stability and anti-foam properties
- ▶ Recommended for use in all types of hydraulic systems and equipment

Available Viscosity Grades: ISO 22, 32, 46, 68, 100, 150, 220



### WELL HYDRO AW-HVI

- ▶ Premium High Viscosity Index (HVI)
- ▶ Formulated from quality base stocks treated with anti-rust, antioxidant, anti-wear additives and high shear stability VI Improver
- ▶ Recommended for use in all types of hydraulic systems and equipment

Available Viscosity Grades: ISO 22, 32, 46, 68, 100

## GEAR OIL

### WELL GEAR EP GL-4

- ▶ Extreme-Pressure (EP), multi-grade and multi-purpose lubricant
- ▶ Blended with highly refined base oils and proven multifunctional gear additives
- ▶ Suitable for automotive differential and manual transmission, particularly those operating at high-speed, low-torque and low-speed, high-torque conditions

Available Viscosity Grades: SAE 90, SAE 140 and 80W90, 85W140



### WELL GEAR EP GL-5

- ▶ Extreme-Pressure (EP), automotive hypoid gear oil
- ▶ Blended with highly refined base oils and proven multifunctional gear additives
- ▶ Excellent chemical and thermal stability
- ▶ Suitable for drive-train gears of heavily loaded equipment and passenger vehicles

Available Viscosity Grades: SAE 90, SAE 140 and 80W90, 85W140

## LITHIUM GREASE

### WELL GREASE MP LITHIUM

- ▶ Multi-purpose Lithium-based grease
- ▶ Anti-oxidation and anti-rust
- ▶ Exceptional chemical and mechanical stability
- ▶ Suitable for lubrication of bearings of automobile and industrial equipment, especially in wheel hub bearings

Available Viscosity Grades: NLGI 2 & NLGI 3



### WELL GREASE EP LITHIUM

- ▶ Extreme Pressure (EP) Lithium-based oil
- ▶ Outstanding EP performance
- ▶ Exceptional chemical and mechanical stability
- ▶ Suitable for high temperature, high load, shock load and vibration applications in variety of industrial applications

Available Viscosity Grades: NLGI 1, NLGI 2 and NLGI 3

# ABOUT WELLBANK GLOBAL

Established in 2006 as a wholesaler of petrochemical products, Wellbank Global has over the years expanded its portfolio extensively, of which includes its proprietary brand Well Lube, and is also the OEM partner of many companies in Asia and Africa for engine oil.

Founded and headquartered in Singapore, within less than a decade, Wellbank Global has extended its reach to all over the world, forging strong relationships with business partners and associates.

Clients' needs are ever-changing and growing. Wellbank Global takes upon this challenge with zest and stays ahead of the game by adopting new strategies and improving its business operations constantly.

With the highest professionalism and integrity, Wellbank Global brings to you:

• Competitive prices • High-quality products • Reliable delivery • Excellent customer service • Total satisfaction

Wellbank Global is a subsidiary of Wellsprings Development Group, a well-established property development and investment company. Wellsprings specializes in the development and management of residential, commercial and industrial buildings. Over the past 17 years, it has built up a global clientele with a strong foothold in the region.





## OUR PRODUCTS

With years of experience in the industry, Wellbank Global has grown a product portfolio comprising a comprehensive range of lubricants to meet the needs of its expansive market. From vehicular engines to industrial equipment, we have a lubrication solution to every mechanical part.

If you would like to understand the products better or if you have a specific need that requires a customised product, feel free to contact us.



**WELLBANK GLOBAL PRIVATE LIMITED**

18 Kaki Bukit Road 3, # 02-05, Entrepreneur Business Centre, Singapore 415978

Tel: +65 6742 5995 Fax: +65 6742 9852 Email: [sales@well-lube.com](mailto:sales@well-lube.com)

Website: [www.well-lube.com](http://www.well-lube.com)